

VIRAL TRANSPORT MEDIUM

CERTIFICATE OF ANALYSIS	
Batch	8590260121VTM
Listing number	D426625
Manufacture date	26/01/2021
Expiration date	26/01/2022
Appearance of medium	Pink, clear
Volume	3ml
Sterilization method	Filtration 0,22µm/Clean room ISO 7
Sterility Response	
After incubation at 35±2°C for 3 to 5 days and at room temperature for 5 to 7 days.	
Results: No microbial growth.	
Conclusion	
The analyzed lot complies with its specifications and therefore it is considered APPROVED for use. BBV guarantees the sterility of the sealed medium. Instructions for use are on the back of certificate.	

Batch Release: 02/02/2021



Fernanda Salles
Quality Control

INSTRUCTIONS FOR USE	
Description	Plastic tubes with 3ml of VTM, conical bottom, flat base and screw cap
Intended Use	It used in the collection, transport and preservation of clinical samples for the diagnosis of viral diseases
Method Principle	Formula that preserves the virus at room temperature, added a balanced solution for cell culture with buffering salts, in addition to antibiotics and antifungals, which prevent the proliferation of contaminants present in the sample. The presence of phenol red acts as a pH indicator.
Procedure	Perform the swab sample collection according to the laboratory methodology, then place the swab into the tube with the Viral Transport Medium, break the swab rod and close the tube cap. After collection, store the sample at room temperature for up to 72 hours and another 72 hours if stored at 2 to 8 ° C. After that period the sample can be frozen at -70 ° C. Proceed with the analyzes according to the methodology adopted by the laboratory.
Storage	Room temperature.
Warning and Precautions	Product intended for in vitro use only Restricted use by professionals Non-reusable product. Use only once Do not inhale or ingest Do not use the product after its expiration date and with signs of contamination or changes in color. In the presence of contamination, the product must be discarded immediately. Do not use the product with broken or broken packaging
Disposal	After use, the product must be treated in the generating unit before the final environmentally appropriate disposal, according to official regulations.